



Baaske Mousepad

Silicone Mousespad • Sterilisable at up to 108 °C
in autoclave or thermal disinfectant •

Item no. 2012332


The hygienic, disinfected Baaske Silikon mouse pad is ideal for medical environments such as dentists' and doctors' treatment rooms as well as clinics, hospitals and medical facilities and all office environments where cleanliness and hygiene are important. It can be cleaned with water, soap, commercially available disinfectants or 10% bleach. The ultra-thin mouse pads are made of latex-free silicone and are compatible with all our medical mice.



Baaske Mousepad

Silicone Mousespad • Sterilisable at up to 108 °C
in autoclave or thermal disinfectant •

Pink Item no. 2013330



Baaske Medical GmbH & Co. KG
Bacmeisterstr. 3 | 32312 Lübbecke
P +49 (0) 5741 236027-0
vertrieb@baaske-medical.de | www.baaske-medical.de



Ldchb`kjd xanqr
`mc lhbd

Hygienic, disinfectable,
quick and easy to clean.
Good, tactile feedback.



**BACK-
LIGHTING**

Baaske BL01: Waterproof and luminous

Relaxed working in the dark. The Baaske BL01 keyboard is ideal for low-light and darkened areas such as operating theatres or X-ray workstations. The gradual backlighting can be individually adjusted to the prevailing lighting conditions and can be switched off via a separate button if required. Fully sealed, the silicone keypad can be immersed in liquids (IP68). The Tru-Lock mechanism also enables cleaning during operation.

Advantages:

- Adjustable backlight
- Fully sealed (IP68)
- Disinfectable
- Excellent tactile feedback
- Complies with EN 60601-1-2
- Quiet - silent keystroke

Technical Data

Number of keys

Degree of protection

Compatible OS

Dimensions

Weight

Interface

Background illumination

Cable length

Standards

Item no. Layout

Baaske BL01

105 incl. numeric keypad and F-keys

IP68

Microsoft® Windows

380 x 130 x 10 mm

580 g

USB

blue / brightness adjustable in steps

1.85 m

CE, EN 60601-1-2:2007+AC:2010 section 6; EN 55011:2009 +A1:20010 (limit class B); EN 601000-3-2:2006; EN 61000-3-3:1995 + Corr. July 1997

2011318 (GER)*

*Also available in international layouts.



Baaske BLT03 with Touchpad

Item no. 2011843

Baaske BF01: Wireless silicone keyboard without touchpad

Art. No. 2013071



Baaske BLT02: Wireless silicone keyboard with integrated touchpad

Fully sealed, the IP67 silicone keyboard is easy to clean and is ideal for areas where hygiene and cleanliness are important. The optimised key height and the large touchpad allow easy and precise input. The pleasantly quiet key actuation also offers the user comfortable operation and an excellent pressure point. Equipped with numerous function keys, this medical keyboard becomes a multimedia control centre with which the basic functions of the PC can also be controlled without a mouse.

Advantages:

- Wireless - no cables required
- Fully sealed
- Automatic synchronisation
- Working distance up to 10 metres
- Disinfectable thanks to IP67
- Excellent tactile feedback
- Quiet

Technical Data

Number of keys

Degree of protection

Compatible OS

Dimensions

Weight

Colour

Interface

Battery type

Operating temperature

Standards

Item no. Layout

Baaske BLT02

85 keys + function keys
+ 18 multimedia keys

IP67 RATED

Microsoft® Windows

418 x 133 x 16 mm

0,793 kg (without batteries)

white

Receiver Mini USB

2x AAA required
(not included in scope of delivery)

-10°C bis +65°C

CE,FCC,RoHs, EN 60601-1-2:2007+AC:2010 section 6

2011316 (GER), 2011638 (ITA)





Baaske ST: Waterproof silicone keypad. Space-saving with extremely flat profile

The Baaske ST is a washable and waterproof keyboard. Fully encased in silicone, this medical keyboard impresses with its optimised key height, which makes it easy to clean and at the same time gives the feel of a modern laptop keyboard. The pleasantly quiet key actuation offers the user comfortable operation and an excellent pressure point. In addition, the keyboard is completely sealed, seamless and waterproof. It can be completely immersed in liquid (IP68). A self-resetting Tru-Lock mechanism allows the Baaske ST keyboard to be cleaned during operation.

Advantages:

- Fully sealed silicone keyboard
- Excellent, noiseless keystroke
- Self-resetting key lock
- Very flat, only 14 mm high
- Waterproof, can be fully immersed in liquid

Baaske keyboard and mouse set

Item no. 2010381

Technical Data

Number of keys

Degree of protection

Compatible OS

Dimensions

Weight

Colour

Interface

Power consumption

Operating temperature

Air humidity

Standards

Item no. Layout

Baaske ST

105 incl. numeric keypad and F-keys

IP68

Microsoft® Windows, Mac and Linux

380 x 137 x 14 mm

1 kg

white

USB

20mA@5V

0° - 60 °C

up to 100 %

CE, FCC Part 15 Class B, EN 60601-1-2

2010320 (GER), 2010361 (US),
2010705 (CH)





Baaske BT01: Hygienic Bluetooth® keyboard

The Baaske BT01 Bluetooth® keyboard is a high-quality and reliable wireless hygienic keyboard with a number pad. The IP67 silicone keyboard BT01 is easy to clean and is ideal for areas where hygiene and cleanliness are important. The optimised key height and the numpad allow easy and precise input.

Vorteile:

- Bluetooth® 5.0
- ON/OFF switch
- Working distance up to 10 metres
- Disinfectable and wipeable thanks to IP67

Technical Data

Number of keys	108 incl. 12 function keys; Number field
Degree of protection	IP67
Compatible OS	Microsoft® Windows, Mac, Android OS
Dimensions	375 x 135 x 13 mm
Weight	0,68 kg
Colour	white
Type of connection	2,4 GHz Funktechnologie
Interface	USB Receiver
Material	Silikon
Key stroke / Confirmation force	1,5 mm / 60-80 g
Power consumption	2 x AAA Batterie
Standards	CE, FCC, RoHS
Item no. Layout	2013071 (GER), 2012977 (US)

Baaske BT01 Bluetooth





Baaske GL01: Perfect for all areas where hygiene is a must

The Baaske GL01 medical keyboard is a high-quality keyboard with a glass surface. Designed for long-lasting use in the medical sector, its performance features go far beyond normal office keyboards. The front is made of easy-to-clean tempered glass and is supported by a robust ABS plastic housing. This material composition enables extremely quiet operation. Ideal for environments where the noise level must be kept as low as possible. If required, key feedback (acoustic and vibration) can be switched on. The Baaske GL01 keyboard also has a switchable touchpad for optimum utilisation.



Technical Data

Number of keys	105 keys
Degree of protection	IP67
Compatible OS	Microsoft® Windows, Mac OSX, Android
Dimensions	436 x 160 x 20 mm
Material	Tempered glass, robust ABS housing
Connection type	Fixed USB-C cable
Touchpad size (width)	119 x 102 mm
Weight	0,87 kg
Colour	white
Standards	CE, ROHS
Item no. Layout	2013211 (GER)

Baaske Wireless GL01

Number of keys	105 keys
Degree of protection	IP67
Compatible OS	Microsoft® Windows, Mac OSX, Android
Dimensions	436 x 160 x 20 mm
Material	Tempered glass, robust ABS housing
Connection type	Fixed USB-C cable
Touchpad size (width)	119 x 102 mm
Weight	0,87 kg
Colour	white
Standards	CE, ROHS
Item no. Layout	2013211 (GER)

Advantages:



- High-quality design
- Alphanumeric glass keypad
- IP65 – sealed on the front
- Can be operated with gloves
- Easy to clean
- Integrated touchpad
- Connection via USB, 2.4G or Bluetooth®



Baaske GL02: Hygienic USB glass keyboard

Item no. 2013181

CONNECTION
VIA USB. WITH
DETACHABLE
USB-C CABLE.



Key lock

The Baaske GL02 glass keyboard has a built-in key lock for cleaning during operation. It is activated and deactivated by pressing and holding the lock button (lock symbol). A small LED on the button signals that the lock function has been switched on or off.



Baaske GL03: Hygienic USB glass keyboard

The Baaske GL03 keyboard was designed for long-lasting use in the medical sector. It is characterised by a high-quality design and a sophisticated combination of materials: The front is made of tempered glass, the rest of the housing is made of ABS plastic. This means that the Baaske GL03 keyboard fulfils important requirements for quick and easy cleaning. This optimum disinfection combined with the touch functionality and a switchable touchpad make it an ideal solution in doctors' surgeries, treatment rooms, hospitals, operating theatres, clean rooms and other areas where hygiene is a must. The entire keyboard has been tested at 60°C for a week to ensure its durability.

Advantages:

- High-quality design
- Alphanumeric glass keyboard
- Fixed USB cable connection
- IP67 RATED
- Can be operated with gloves
- Easy to clean
- Switchable touchpad
- USB 2.0 connectivity
- Plug and Play

Technical Data

Number of keys	105
Degree of protection	IP67
Compatible OS	Microsoft® Windows, Mac OSX, Android
Dimensions	436 x 160 x 20 mm
Material	Tempered glass, robust ABS housing
Connection type	Fixed USB-C cable
Touchpad size (width)	119 x 102 mm
Weight	0,87 kg
Colour	white
Application areas and locations	Doctors' surgeries, treatment rooms, hospitals, operating theatres, clean rooms
Standards	CE, ROHS
Item no. + Layout	2010320 (GER), 2010361 (US), 2010705 (CH)

Baaske GL03

Number of keys	105
Degree of protection	IP67
Compatible OS	Microsoft® Windows, Mac OSX, Android
Dimensions	436 x 160 x 20 mm
Material	Tempered glass, robust ABS housing
Connection type	Fixed USB-C cable
Touchpad size (width)	119 x 102 mm
Weight	0,87 kg
Colour	white
Application areas and locations	Doctors' surgeries, treatment rooms, hospitals, operating theatres, clean rooms
Standards	CE, ROHS
Item no. + Layout	2010320 (GER), 2010361 (US), 2010705 (CH)



Baaske GL01M: Keyboard with glass surface

The Baaske GL01M is a keyboard with a compact design and glass surface. Designed for long-lasting use in hygienic areas where the smallest dimensions are required. The front is made of easy-to-clean tempered glass and is supported by a robust aluminium housing. Button feedback (acoustic and vibration) can be switched on if required. The GL01M keyboard also has a switchable touchpad for optimum use.

Advantages:

- High-quality, compact design
- Glass keyboard
- IP67 RATED
- Can be operated with gloves
- Easy to clean
- Switchable touchpad
- Connection via USB

Technical Data

Number of keys

86

Degree of protection

IP67

Compatible OS

Microsoft® Windows, Mac OSX, Android

Dimensions

304 x 152 x 11 mm

Connection type

USB, Bluetooth & RF via Dongle

Colour

silver

Standards

CE, FCC, RoHs

Item no. + Layout

2013093

Baaske GL01M



Baaske UniFlex keyboard protectors:

Effective protection for human and keyboard



The Baaske UniFlex and Baaske LapFlex keyboard protection films are suitable for all standard desktop and laptop keyboards. The hygienic film can be slipped over your keyboard in just a few simple steps and provides effective protection against soiling and the spread of germs and bacteria. Ideal for hospitals, doctors' surgeries and laboratories that want a hygienically clean standard keyboard. Keyboards in workshops, production areas and warehouses are also frequently soiled by dust or oil-smeared hands. The wipe-clean protective film reliably prevents dirt, dust and accidentally spilt liquids from penetrating.

Technical Data	Baaske UniFlex
Material	High-quality thermoplastic polyurethane polyurethane (TPU)
Material thickness	0,025 mm
Lifetime	approx. 3 months (depending on the load)
Dimensions	400 up to 500 mm
Color	transparent
Minimum order quantity	10 pcs
Item no.	2005758

Baaske LapFlex: Keyboard protector for laptops

Technical Data	Baaske LapFlex
Size	13" up to 14" 15" up to 16" 17"
Material	High-quality thermoplastic polyurethane polyurethane (TPU)
Lifetime	approx. 3 months (depending on the load)
Dimensions	345 x 210 mm 375 x 240 mm
Colour	transparent
Minimum order quantity	10 pcs
Item no. Size M	2006547
Item no. Size L	2006546
Item no. Size XL	2005551



Optical silicone mice for clinics and medical practices

The hygienic mice from Baaske deliver optimum precision on almost any surface. They have been specially developed for medical and industrial areas and offer the user comfortable operation even when wearing gloves. The housing of the Baaske mice is silicone-coated and joint-free. This makes cleaning quick and easy and effectively prevents the ingress of liquids or dust.

Advantages:

- Fully sealed
- seamless
- Scroll function
- Can be operated with gloves
- Laser optics for optimum precision

Technical Data	Baaske Mouse
Position detection	Laser-Sensor
Number of keys	2 keys + Touch Scroll function
Degree of protection	IP68
Kompatible OS	Microsoft® Windows
Colour	white
Standards	CE, RoHS, EN 60601-1-2




Baaske ST – Lasermouse W

2 keys + Touch Scroll function •
1500 dpi • IP68 degree of protection • Item no. 2010329



Baaske Wireless LS01

2 keys + 3 keys Scroll function • 800 dpi •
IP68 degree of protection • Item no. 2011319



Baaske LS01

black • Item no 2012379



Baaske LS01

2 keys + Touch Scroll function • 800 dpi •
IP68 degree of protection • Item no. 2011320